


FLOW. DENSITY AND CONCENTRATION MEASUREMENT TECHNOLOGIES

LIQUID. STEAM. GAS.

EXCELLENCE IN ACCURACY AND REPEATABILITY MADE IN GERMANY SINCE 1872



Replication of visualization on Smart phone or Tablet



Flow Computer cabinet



Metering system for diesel measurement

EXAMPLES OF SOLUTIONS

DOSING METER OK-TRONIC

- Oval wheel meter with high accuracy
- also available with Massflow Meter
- Flow computer DC155
- 2 step shut down
- for high viscosity (up to 10000 mPa·s)
- measuring of non-conductive liquids
- no need of in- or outlet section
- Menu driven configuration
- also available for Ex-zone







vysikalisch-Technische Bundesanstalt



MOBILE DOSING SYSTEM FOR LUBRICATING OIL

- high accuracy up to ± 0.1 %
- repeatability better than ±0.02%
- viscosity of 1.5 % up to 1000 mPa s
- with Type Examination Certificate, acc. to MID
- intuitive operation
- Containers from 5 liter
- easy installation with reduced set-up times


9





DENSITY CABINETS FOR THE QUALITY CONTROL OF LIGHT PETROLEUM PRODUCTS

- high accuracy up to ± 0.1 kg/m³
- design for custody transfer available incl. Evaluation Certificate acc. to MID
- Exi or Exd designs available
- easy installation
- options: heating, pump, colorimeter, sampling system ...



PRODUCT LINES OVERVIEW

PRODUCT SELECTION GUIDE

		and the second second	Sector Sector
FLOW TECHNOLOGY	PRODUCT LINES	PAGE	
POSITIVE DISPLACEMENT. TYPE OVAL WHEEL METERS	OAP	20	aller -
	OP	21	
	01	22	
	FLOWAL®	23	
	OD	24	-
	FMO	36	
CORIOLIS	FMD	зา	
TURBINE	RQ	28	
VORTEX	VTX	30	-
DIFFERENTIAL PRESSURE	ORIFLOW	32	
ELECTRO- MAGNETIC	MID MDS	38	A
DENSITY/ CONCENTRATION TECHNOLOGIES			
TUNING FORK	DIMF 1.X	зч	x
VIBRATING TUBE	DIMF 2.X	34	
	DIMF COMPACT	34	

											1		
X T	LIQUIDS							GASES	STEAM				
	NON CONDUCTIVE	CONDUCTIVE	CLEAN	סוגדץ	CORROSIVE	LOW VISCOSITY	HIGH VISCOSITY	HIGH PRESSURE	LOW TEMPERATURE	HIGH TEMPERATURE	1	Her.	
- 1 he													
1													
1													
							SUITABLE	PF	IRTLY SUI	TABLE		SUITABLE	